

Variable Speed Pump

WiFi DIRECT

TOPGUY

SAVES UP TO 85% ON ENERGY CONSUMPTION

For large residential pools and water features



control panel

EAKP 200/300

PRODUCT PARAMETERS

EAKP-200 PARAMETER

Model	HP	KW	Power Supply	Speed	RPM	Power Consumption Max	(Q-max)m ³ /h	Outer Package	Inner Package	N.W. (KG)	G.W. (KG)
EAKP 200	2.0	1.5	220V 50HZ 60HZ	100%	3000	1600w	32	700*310 *485mm	685*290 *370mm	21	30
				80%	2400	1000w	26				
				50%	1500	150w	15				
				25%	750	90w	5				

EAKP-300 PARAMETER

Model	HP	KW	Power Supply	Speed	RPM	Power Consumption Max	(Q-max)m ³ /h	Outer Package	Inner Package	N.W. (KG)	G.W. (KG)
EAKP 300	3.0	2.2	220V 50HZ 60HZ	100%	3000	2150w	36	700*310 *485mm	685*290 *370mm	24	33
				80%	2400	1173w	28				
				50%	1500	390w	17				
				25%	750	112w	6				

RECOGNIZED COMPONENT



Intertek



RoHS


Product Features:

- 1) Super efficient high quality motor, low vibration, low noise, improves efficiency, and extends the life of water pump.
- 2) Easy programming with LCD screen display.
- 3) Built-in thermal protection and Overload protection.
- 4) Use the app to control and manage the pump from your Phone.
- 5) IPX5 Waterproof standard.
- 6) Special designed unions compatible for both imperial and metric measurement standards.
- 7) Liquids part is made of high reinforce engineering plastic which is durable.
- 8) The strainer with high capacity helps reducing the cleaning work.
- 9) Ring lock seal design eliminates suction leaks and maximizes suction efficiency.
- 10) Testing pressure 50 PSI (3.5 Bar).
- 11) Applicable to : swimming pool, industrial water, oceans pavilion, water park, etc.
- 12) The performance of the pump remains constant at the input power of 50Hz and 60Hz.




Product parameters:

parameter



EAKP 200



EAKP 300

Product Size

(unit:mm)

